

November 17, 2017

Mayor Betty Haogak Hamlet of Sachs Harbour P.O. Box 90 Sachs Harbour, NT X0E 0Z0

Dear Mayor Haogak:

Re: N7L3-1531 - Hamlet of Sachs Harbour, Municipal Water Licence - Renewal

Please find attached the Hamlet of Sachs Harbour Water Licence N7L3-1531 (renewal) issued by the Inuvialuit Water Board (IWB) for a period of five (5) years commencing November 21, 2017 and expiring November 20, 2022. Included with the attached Licence are the General Procedures for the Administration of Licences in that portion of the Inuvialuit Settlement Region located within the Northwest Territories. Please review the Licence and the General Procedures carefully and address any questions to the IWB office in Inuvik.

The IWB water licence application renewal process includes a request and comment period on the application from those government departments that hold a regulatory interest in water and waste management in the Northwest Territories. The GNWT Department of Environment and Natural Resources (ENR) and Environment and Climate Change Canada (ECCC) are two of those departments from which comments are requested.

In consideration of the ENR and ECCC responses to our request and the IWB internal review, the IWB has determined that, in relation to your licence renewal, the following additional information will be required in several of the management plans attached to your application:

- Operation and Maintenance Plan for Municipal Water Licences Sewage Waste Disposal Facilities:
 - a) Location map of the Sewage Waste Disposal Facilities;
 - b) Description of Sewage Waste Disposal Facilities such as: name, length, width, depth, volume and area of lagoon, freeboard, treatment methods (e.g. aerobic, anaerobic, facultative), sewage discharge chute and any other site-specific descriptions.
 - c) A map or drawing indicating the location of all Surveillance Network Program (SNP) sampling stations, with associated Global Positioning System (GPS) locations (Note: Google Earth latitude and longitude should be utilized as the GPS points).
 - d) Indicate the frequency (e.g. never, daily, weekly, monthly, annually, other-specify) of each of the following activities at the Sewage Waste Disposal Facilities:

www.inuvwb.ca info@inuvwb.ca

- a. inspection of inlet and truck discharge structures for damage, blockage, settlement or erosion and their maintenance;
- b. monitoring of water level to ensure the minimum freeboard on constructed berms, dykes and dams is maintained;
- c. inspection of dams, dykes and berms for damage by animals or erosion and their maintenance;
- d. monitoring of the colour of the liquid in the lagoon as an indication of performance;
- e. sewage discharge measurement;
- f. measurement of sludge levels;
- g. removal and disposal of accumulated sludge including location;
- h. monitoring for damage to fencing/signage and gate;
- i. inspection, grading and reshaping of access road and truck pad;
- j. SNP sampling and timing; and
- k. any other activities relevant to the O&M of the Sewage Waste Disposal Facilities.
- 2. Operation and Maintenance Plan for Municipal Water Licences Solid Waste Disposal Facilities:
 - a) Location map of the Solid Waste Disposal Facilities;
 - Based on the projected solid waste generation, estimate the expected life of the active landfill whether the available landfill space will be sufficient to meet projected needs over next 10 years;
 - c) Description of solid waste collection trucks such as total number in operation, capacity of each truck, etc.;
 - d) Description of Solid Waste Disposal Facilities such as: configuration, extent, and materials used in construction of the Solid Waste Disposal Facilities and in the construction of any caps placed on closed waste cells within the facility;
 - e) Interim and final cover thickness and material type;
 - f) A map or drawing indicating the location of all Surveillance Network Program (SNP) sampling stations, with associated Global Positioning System (GPS) locations (Note: Google Earth latitude and longitude should be utilized as the GPS points):
 - g) Quantities of each type of Hazardous Waste stored on site;
 - h) Information regarding how the accepted hazardous wastes are stored at the temporary containment area such as: in drums, bags, bins, boxes, totes or pallets (primary containment) and other measures such as secondary containment, and methods to prevent spills and leaks; and
 - i) Litter and wildlife control measures.
- 3. Operation and Maintenance Plan for Municipal Water Licences Spill Contingency Plan:
 - a) Map(s) showing the following: buildings, roads, culverts, airstrips and other infrastructure; all surface water bodies and direction of water flow including catchment basins; storage locations of each hazardous material; probable spill locations and direction of flow on land and in water; locations of all response equipment; environmentally sensitive areas; any approved disposal sites; topography; and any other important on or off-site features;

- b) The name, job title and 24-hour telephone number(s) of staff and/or community member(s) responsible for activating the Spill Contingency Plan at each facility. This should include alternate staff, should the regular staff not be available; and
- c) Material Safety Data Sheets (MSDS) for all chemicals, fuels, and oils used in community operations.
- 4. In addition, a Hazardous Waste Management Plan will be required to include all information as outlined in Part E, Item 3 of the Licence.

It is a condition of licence renewal that the additional information as outlined above regarding the Sewage and Solid Waste Disposal Facilities Operation & Maintenance Plans, the Spill Contingency Plan and the Hazardous Waste Management Plan be submitted to the IWB within the next three (3) months for approval.

The Board recognizes the capacity concerns of the municipality due to the extended absence of your Senior Administration Officer (SAO) and has discussed this matter with the Regional Office of the Department of Municipal and Community Affairs. In this regard Regional Superintendent, Lorie Fyfe, has agreed to work with the municipality to identify the means whereby the additional supporting information to satisfy your water licence requirements can be provided. In the interim all measures outlined in the plans as submitted should be implemented.

A copy of this Licence and all documentation associated with the application for consideration and issuance of this Licence has been filed in the Public Register at the IWB office in Inuvik, NT. All inspection reports and other documentation related to the implementation of this Licence will also be filed in the Public Register. All Public Register material will be considered if an amendment to the Licence is requested.

The IWB appreciates the cooperation of the Hamlet of Sachs Harbour in complying with the Terms and Conditions of the Licence. Should you have questions or concerns, please contact Mardy Semmler, Executive Director, at (867) 678-2942.

Sincerely,

Roger Connelly Chairperson

Attachments

Copied to: Adella Carpenter, A/SAO - Hamlet of Sachs Harbour

Lloyd Gruben, Water Resources Officer – ENR Inuvik Lorie Fyfe, Regional Superintendent – MACA Inuvik



INUVIALUIT WATER BOARD

Pursuant to the *Waters Act* and Waters Regulations, the Inuvialuit Water Board, hereinafter referred to as the Board, hereby grants to

The Hamlet of Sachs Harbour

P.O. Box 90 Sachs Harbour, NT X0E 0Z0 (Mailing Address)

hereinafter called the Licensee, the right to alter, divert or otherwise use water and deposit waste as provided for under the *Waters Act* and Waters Regulations and subject to and in accordance with the terms and conditions specified in this Licence.

Licence Number	N7L3-1531 (renewal)
Licence Type	"B"
Water Management Area	Northwest Territories 05
Location	72* 58' North and 125° 14' West Northwest Territories
Purpose	Water Use and Waste Disposal
Description	Municipal Undertaking
Quantity of Water Obtained from Approved Sources not to Exceed	4,800 cubic metres (m³) per year or 4,800,000 Litres (L) per year
Effective Date of Licence	November 21, 2017
Expiry Date of Licence	November 20, 2022

This Licence, issued and recorded at Inuvik, includes and is subject to the annexed conditions.

INUVIALUIT WATER BOARD

Chairperson

Date

November . 17. 201

PART A: SCOPE AND DEFINITIONS

1. Scope

- a) This Licence entitles the Hamlet of Sachs Harbour to use water and dispose of waste for municipal undertakings at Sachs Harbour, Northwest Territories. The Hamlet is located at 72 58' North and 125 14' West.
- b) This Licence is renewed subject to the conditions contained herein with respect to the taking of water and the depositing of waste of any type in any waters or in any place under any condition where such waste or any other waste that results from the deposits of such waste may enter any waters. Whenever new Regulations are made, or existing Regulations are amended by the Commissioner in Executive Council under the *Act*, or other statutes imposing more stringent conditions relating to the quantity or type of waste that may be so deposited or under which any such waste may be so deposited, this Licence shall be deemed, upon promulgation of such Regulations, to be automatically amended to conform with such Regulations.
- c) Compliance with the terms and conditions of this Licence does not absolve the Licensee from responsibility for compliance with the requirements of all applicable Federal, Territorial and Municipal legislation.
- d) This Licence is issued subject to the conditions contained herein with respect to the use of waters and deposit of waste as prescribed in Section 10 and 11 of the Act.

2. Definitions

In this Licence: N7L3-1531

"Act" means the Waters Act;

"Amendment" means a change to any terms and conditions of this Licence as provided for under Section 36 (1)(b) of the Act;

"Analyst" means an Analyst designated by the Minister under Section 65 (1) of the Act;

"Average Concentration" means the discrete average of up to four consecutive analytical results submitted in any single calendar year to the Board in accordance with the sampling and analysis requirements specified in the "Surveillance Network Program";

"Average Concentration for Faecal Coliforms" means the running geometric mean of up to four consecutive analytical results submitted to the Board in accordance with the sampling and analysis requirements specified in the "Surveillance Network Program";

"Bagged Toilet Wastes Disposal Facilities" comprises the area within the Solid Waste Disposal Facility and associated structures designed to contain bagged toilet wastes (honey bags);

"<u>Closure</u>" means the permanent dismantlement of one or more components of the Project with the intent of making the components incapable of its intended use. This includes the removal of associated equipment and structures used in the construction or maintenance of the Project;

"Contingency Plan" means a detailed program of action to control and/or minimize the effects of an emergency requiring prompt corrective measures beyond normal procedures to protect

human life, to minimize injury and/or losses, and to reduce the exposure of physical assets and the environment to risks resulting from an incident;

- "Engineer" means a Professional Engineer registered with the Northwest Territories and Nunavut Association of Professional Engineers and Geoscientists and whose principal field of specialization is appropriate to address the components of the undertaking at hand;
- "Freeboard" means the vertical distance between the Sewage Disposal Facilities water level and the lowest elevation point of the effective water containment crest on a dam or dyke;
- "Greywater" means all liquid wastes from showers, baths, sinks, kitchens and domestic washing facilities, but does not include toilet wastes;
- "<u>Hazardous Wastes</u>" mean those wastes with properties such as flammability, corrosiveness, or inherent toxicity and can pose a variety of risks, from skin damage on contact, to the contamination of ground water, surface water, or soil as a result of leaching into the environment when improperly treated, stored, transported, or disposed of, or otherwise managed;
- "Inspector" means an inspector designated by the minister under Section 65 (1) of the Act;
- "<u>Minister</u>" means a duly appointed member of the Executive Council who is responsible for the *Act*;
- "Modification" means an alteration to a physical work that introduces a new structure or replaces or eliminates an existing structure and does not alter the purpose or function of the work, but does not include an expansion;
- "Pump-out Sewage" means all toilet wastes and/or greywater collected by means of a vacuum truck for disposal at an approved facility;
- "Reclamation" means the process of restoring the Project area as nearly as possible to the same condition as it was prior to the commencement of the licensed activity;
- "Regulations" means Regulations promulgated pursuant to Section 63 of the Act;
- "Segregated Waste Disposal Areas" means defined areas identified within the Solid Waste Disposal Facility set apart for the deposit of specific solid waste materials;
- "Sewage" means all toilet wastes and greywater;
- "Sewage Waste Disposal Facilities" comprises the area and engineered structures designed to contain and treat sewage as approved by the Board;
- "Sewage Sludge" means the residual non-stabilized semi-solid material separated from sewage as a result of a natural or other process at the Sewage Waste Disposal Facilities;
- "Solid Waste Disposal Facilities" comprises the area and associated structures designed to contain solid wastes as approved by the Board;
- "Spill" means to allow or accidentally release waste from containment vessels or structures into the receiving environment;
- "Surveillance Network Program (SNP)" means a monitoring program established to define environmental sampling and analysis requirements, as detailed in Annex A of this Licence, to

collect water quality data, and to assess discharge quality, compliance with licence terms and conditions and the potential for Licensee activity impact on the environment;

"<u>Temporary Hazardous Waste Containment Facility</u>" means a bermed and lined area within the Solid Waste Disposal Facility constructed and maintained for the temporary storage of hazardous waste prior to treatment and/or disposal;

"Toilet Wastes" means all human excreta and associated products, but does not include greywater;

"Waste" means any substance defined as waste as defined by Section 1 of the Act;

"Waste Disposal Facilities" mean all facilities designated for the disposal of waste, and includes the Sewage Waste Disposal Facilities and the Solid Waste Disposal Facilities;

"<u>Watercourse</u>" means a natural watercourse, body of water or water supply, whether usually containing water or not, and includes groundwater, springs, swamps, and gulches, as defined in the Waters Regulations;

"Waters" means any waters as defined by Section 1 of the Act; and

"<u>Water Supply Facilities</u>" means all facilities designed to collect, treat and supply water for municipal purposes.

PART B: GENERAL CONDITIONS

- 1. The Licensee shall file an Annual Report with the Board not later than April 30 of each year which shall contain the following information from the previous calendar year:
 - a) the monthly and annual quantities in cubic metres (m³) or litres (L) of fresh water obtained from all sources;
 - b) the monthly and annual quantities in cubic metres (m³) or litres (L) of all sewage discharged to the Sewage Waste Disposal Facilities:
 - a summary of the monthly and annual quantities of hazardous waste stored on site and transported off site including the location and treatment or disposal plans for the remaining quantities;
 - d) the monthly and annual quantities of sewage sludge removed from the Sewage Waste Disposal Facilities and disposal location;
 - e) any problems, modifications or repairs done to the Water Supply and Waste Disposal Facilities, including all associated structures;
 - f) tabular summaries of all data generated under the "Surveillance Network Program (SNP)":
 - g) a list of spills and unauthorized discharges;
 - h) a description of any spill training and/or other operator training carried out;
 - i) a description of any Closure and Reclamation work completed during the year and an outline of any work anticipated for the next year;
 - j) a description of any studies requested by the Board that relate to water use, waste disposal or closure and reclamation and a brief description of any future studies planned;
 - k) any updates and/or revisions to the:
 - approved Spill Contingency Plan;
 - approved Solid Waste Disposal Facilities Operation and Maintenance Plan;
 - approved Sewage Waste Disposal Facilities Operation and Maintenance Plan;
 - · approved Hazardous Waste Management Plan; and
 - approved Closure and Reclamation Plan;
 - I) results of staff inspections on all Water Use and Waste Disposal Facilities including all

- dams, berms, dykes and control structures authorized under this licence and any corrective actions, as necessary;
- m) the inclusion of all correspondence between the inspector and the Licensee; and
- n) any other details on waste disposal requested by the Board by November 1 of the year being reported.
- 2. The Licensee shall comply with the "Surveillance Network Program" annexed to this Licence, and any amendment to the said "Surveillance Network Program" as may be made from time to time, pursuant to the conditions of this Licence.
- 3. The "Surveillance Network Program" and compliance dates specified in the Licence may be modified at the discretion of the Board.
- 4. The Licensee shall, within ninety (90) days of the issuance of this Licence, submit to the Board for approval, a map or drawing indicating the location of all Surveillance Network Program (SNP) sampling stations, with associated Global Positioning System (GPS) locations (Note: Due to inconsistencies between individual GPS units, Google Earth latitude and longitude should be utilized as the GPS points).
- 5. The Licensee shall, within ninety (90) days of issuance of this Licence, post signs in the appropriate areas to inform the public of the Water Supply and Waste Disposal Facilities. Additional signage at the Solid Waste Disposal Facility shall clearly indicate where different waste streams collected by the Hamlet should be deposited including the segregated temporary storage of hazardous wastes areas. All postings shall be located and maintained to the satisfaction of the inspector.
- 6. Meters, devices or other such methods used for measuring the volumes of water obtained and waste disposed and discharged shall be installed, operated and maintained by the Licensee to the satisfaction of the inspector.
- 7. The Licensee shall immediately report to the 24-Hour Spill Report Line (867 920-8130) any spills of waste which are reported to, or observed by, the Licensee within the municipal boundaries, or in the areas of the Water Supply or Waste Disposal Facilities.
- 8. The Licensee shall erect and maintain, to the satisfaction of the inspector, fencing around the perimeter of the Solid Waste Disposal Facilities, as necessary, to prevent the spread of wind blown litter and waste to the areas surrounding the Solid Waste Disposal Facilities.
- 9. The Licensee shall erect and maintain, to the satisfaction of the inspector, gates at the entrance of the Solid Waste Disposal Facilities that are capable of being locked and can regulate hours to prevent the entry of unauthorized individuals and to discourage unauthorized deposits of waste.
- 10. The Licensee shall ensure a copy of this Licence is maintained at the municipal office at all times and that all employees conducting work related to any of the facilities within the scope of this Licence are made aware of the appropriate sections of the Licence.
- 11. In a form acceptable to the Board, the Licensee shall submit two (2) copies of all reports, management plans, maps and drawings in printed format accompanied by two (2) electronic copies.

PART C: CONDITIONS APPLYING TO WATER USE

1. The Licensee shall obtain all water for human consumption from Water Lake or as otherwise

approved by the Board.

- 2. The Licensee may obtain water from an alternate water supply for use on an emergency basis upon approval of the inspector when it is not possible to obtain water from the source stated in Part C, Item 1.
- 3. The annual quantity of water taken for all purposes shall not exceed 4,800 cubic metres (m³) or 4,800,000 Litres (L).
- 4. The water intake hose used on the water pumps shall be equipped with a screen with a mesh size sufficient to ensure no entrainment of fish occurs.

PART D: CONDITIONS APPLYING TO SEWAGE AND SOLID WASTE DISPOSAL

- 1. The Licensee shall direct all pump-out sewage to the Sewage Waste Disposal Facilities or as otherwise approved by the Board.
- 2. All effluent discharged from the Sewage Waste Disposal Facilities at "Surveillance Network Program" Station Number 1531-2 shall meet the following effluent quality standards:

Parameters	Maximum Average Concentration	
Faecal Coliforms	1 x 10⁴ CFU/100mL	
Biological Oxygen Demand (BOD₅)	120 mg/L	
Oil and Grease	5 mg/L	
Total Suspended Solids (TSS)	180 mg/L	
	a pH between 6 and 9, and no visible sheen of oil and grease.	

- 3. The Licensee shall ensure that the Sewage Waste Disposal Facilities are maintained and operated in such a manner as to prevent structural failure.
- 4. A freeboard limit of 1 metre (m), or as recommended by an engineer and as approved by the Board, shall be maintained at all dams, dykes and structures associated with the Sewage Waste Disposal Facilities.
- 5. The Licensee shall maintain the Sewage Waste Disposal Facilities to the satisfaction of the inspector.
- 6. The Licensee shall advise the inspector at least ten (10) days prior to initiating a formal decant of the Sewage Waste Disposal Facilities should it be necessary.
- 7. Within sixty (60) days prior to the removal of sludge from the Sewage Waste Disposal Facilities, a Sludge Removal Plan shall be submitted to the Board for approval.
- 8. All bagged toilet wastes (honey bags) shall be disposed of at the Bagged Toilet Waste Disposal Facility to the satisfaction of the inspector.
- 9. The Licensee shall dispose of all solid wastes at the Solid Waste Disposal Facilities or as otherwise approved by the Board.
- 10. The Licensee shall construct and maintain the Temporary Hazardous Waste Containment Facility to the satisfaction of the inspector.

- 11. The Licensee shall notify the inspector when any contaminated soil or snow or other hazardous material is deposited at the Solid Waste Disposal Facilities.
- 12. The Licensee shall contain all contaminated soil, snow and all other hazardous materials in such a manner as to minimize the potential for migration of contaminants into any waters, to the satisfaction of the inspector.
- 13. The Licensee shall not openly burn solid or liquid waste, with the exception of paper products, paperboard packaging, untreated wood in accordance with the guideline "Municipal Sold Wastes Suitable for Open Burning", developed by the Government of Northwest Territories (GNWT) Department of Environment and Natural Resources.
- 14. The Licensee shall openly burn animal carcasses in a designated location within the Solid Waste Disposal Facility.
- 15. The solid waste disposal trenches and cells shall be maintained and operated in such a manner as to prevent structural failure and be maintained to the satisfaction of the inspector.
- 16. The Licensee shall maintain the Segregated Waste Disposal Areas to the satisfaction of the inspector.
- 17. The Licensee shall collect windblown litter in the Solid Waste Disposal Facilities and surrounding lands, once in the spring and again in the fall of every year for the duration of the Water Licence.
- 18. The Licensee shall ensure that any unauthorized wastes associated with the municipal undertaking do not enter any waters.
- 19. The Licensee shall immediately notify the Board and inspector of any effluent quality results that exceed the maximum standard concentration.
- 20. The Licensee shall provide a written submission on those activities conducted under Part D, ltem 6 and 7 upon request of the Board or the inspector.

PART E: CONDITIONS APPLYING TO OPERATION AND MAINTENANCE

- The Licensee shall, within three (3) months of the issuance of this Licence, submit to the Board for approval, an Operations and Maintenance Plan for each of the Sewage Waste Disposal Facilities and the Solid Waste Disposal Facilities that includes, but is not limited to, information and plans related to the following:
 - a) specifications of the Sewage Waste Disposal Facilities and the Solid Waste Disposal Facilities including Engineering drawings signed and stamped by an Engineer;
 - b) operations, maintenance and monitoring programs for the Sewage Waste Disposal Facilities and the Solid Waste Disposal Facilities including maintenance and inspection schedules;
 - c) quantification of Sewage generated and future projection:
 - d) Sewage Sludge management including the disposal of sludge generated at the Sewage Disposal Facilities;
 - e) quantification and composition of Solid Waste generated and future projection;
 - f) Segregation and management of contaminant soil and snow at the Solid Waste Disposal Facilities:
 - g) Hazardous Waste segregation and management occurring at the Solid Waste Disposal Facilities or from Solid Waste Disposal Facilities activities:
 - h) prevention of windblown debris from Solid Waste Disposal Facilities;

- i) security of the Sewage Waste Disposal Facilities and the Solid Waste Disposal Facilities;
- j) flood response measures including temporary alternate Sewage, Solid and Hazardous Waste disposal practices, locations and mitigation measures; and
- k) operator training standards and plans.
- 2. The Solid Waste Disposal Facilities Operations and Maintenance Plan shall be consistent with the "Guideline for the Planning, Design, Operations and Maintenance of Modified Solid Waste Sites in the Northwest Territories, April 2003" developed by the Government of the Northwest Territories (GNWT) Department of Municipal and Community Affairs.
- 3. The Licensee shall, within three (3) months of the issuance of this Licence, submit to the Board for approval a Hazardous Waste Management Plan. The plan shall include, but is not limited to:
 - a) design of temporary disposal site, including designation of areas for segregated waste:
 - b) detailed amounts and sources of hazardous waste that are, and are not accepted into the Solid Waste Disposal Facilities;
 - c) identify the maximum quantities of each type of hazardous waste that will be stored on site;
 - d) methods of treatment and/or disposal of hazardous waste (including contaminated soil);
 - e) methods of implementing reuse of hazardous waste;
 - f) a hazardous waste inventory that identifies the type, means of containment, and quantity of all hazardous waste being stored in the Temporary Hazardous Waste Containment Area; and
 - g) location, timing and means of transport of all hazardous waste to an approved Hazardous Waste Disposal Facility.
- 4. The Licensee shall implement the Operations and Maintenance Plans specified in Part E, Item 1 and 3 as and when approved by the Board.
- 5. The Licensee shall review the Operations and Maintenance Plans annually and modify the plan as necessary to reflect changes in design, operation and maintenance or any other changes that may be required by the Board or the Inspector. The proposed Modifications shall be submitted to the Board for approval.

PART F: CONDITIONS APPLYING TO SPILL CONTINGENCY PLANNING

- 1. The Licensee shall submit to the Board, within three (3) months of the issuance of this Licence, a Spill Contingency Plan in accordance with the "Guidelines for Spill Contingency Planning, April 2007" developed by INAC Water Resources Division.
- 2. The Licensee shall implement the plan specified in Part F, Item 1 as and when approved by the Board.
- 3. The Licensee shall review the Spill Contingency Plan annually, and if necessary, modify the plan to reflect changes in operation(s) and technology, chemicals or fuels, or as directed by the Board. Any updated Spill Contingency Plan shall be submitted to the Board for approval.
- 4. If, during the period of this Licence, an unauthorized discharge of waste occurs, or if such a discharge is foreseeable, the Licensee shall:
 - a) implement the approved Spill Contingency Plan;
 - b) report all spills immediately via the (24) Hour NWT Spill Report Line (867) 920-8130

- in accordance with the instructions contained in the NT-NU Spill Report Form.
- c) report each spill to the Board and an inspector within 24 hours; and
- d) submit to the Board and the inspector a detailed report on each occurrence not later than thirty (30) days after initially reporting the event. The detailed report shall include descriptions of root causes, response actions, and any changes to procedures to prevent similar occurrences in the future.
- 5. All spills shall be reclaimed to the satisfaction of the inspector.

PART G: CONDITIONS APPLYING TO MODIFICATIONS

- The Licensee may, without written approval from the Board, carry out modifications to the Water Supply Facilities or Waste Disposal Facilities provided that such modifications are consistent with the terms of this Licence and the following requirements are met:
 - a) the Licensee has notified the Board in writing of such proposed modifications at least five (5) days prior to beginning the modifications;
 - b) such modifications do not place the Licensee in contravention of either the Licence or the *Act*;
 - c) the Board has not, during the five (5) days following notification of the proposed modifications, informed the Licensee that review of the proposal will require more than five (5) days; and
 - d) the Board has not rejected the proposed modifications.
- 2. Modifications for which all of the conditions referred to in Part G, Item 1 have not been met may be carried out only with written approval from the Board.
- 3. The Licensee shall provide to the Board as modified, site plans referred to in Part G, Item 1 within ninety (90) days of completion of the modifications.

PART H: CONDITIONS APPLYING TO CONSTRUCTION

- Prior to construction of any dams, dykes or structures intended to contain, treat, withhold, divert or retain water or wastes other than as contemplated in the Contingency Plan, the Licensee shall submit to the Board for approval a construction plan and a design report signed and stamped by an engineer.
- 2. Construction of designed structures as described in Part H, Item 1, shall be carried out as approved by the Board.
- 3. As-built drawings of the dams, dykes or structures shall be signed and stamped by an engineer and submitted to the Board within ninety (90) days of completion of construction.
- 4. Any fill material used in the construction of any structures as described in Part H, Item 1, must be clean and free of contaminants.

PART I: CONDITIONS APPLYING TO CLOSURE AND RECLAMATION

- 1. The Licensee shall submit to the Board for approval a Closure and Reclamation Plan at least six (6) months prior to abandoning any Water Supply, Sewage or Solid Waste Disposal Facilities. The Plan shall include, but not be limited to, the following:
 - a) contaminated site remediation:
 - b) the potential for groundwater contamination (leachate prevention);
 - c) consideration of altered drainage patterns;
 - d) type and source of cover materials;

- e) future area use;
- f) hazardous wastes removal, transportation and disposal;
- g) an implementation schedule;
- h) maps delineating all disturbed areas, borrow material locations, and site facilities; and
- i) a restoration monitoring plan.
- 2. The Licensee shall implement the Plan specified in Part I, Item 1 as and when approved by the Board.
- 3. The Licensee shall revise the Closure and Reclamation Plan referred to in Part I, Item 1 if not approved. The revised Plan shall be submitted to the Board for approval within six (6) months of receiving notification of the Board's decision.
- 4. Notwithstanding the time schedule referred to in the Closure and Reclamation Plan, the Licensee shall endeavour to carry out progressive reclamation of areas, which are abandoned prior to the closure of operations.
- 5. The Licensee shall complete the restoration work within the time schedule specified in the Plan, or as subsequently revised and approved by the Board.
- 6. Upon implementation of the Closure and Reclamation Plan, the Licensee shall provide to the Board updates of all closure and reclamation activities within the Annual Report as described in Part B, Item 1.
- 7. Compliance with the Closure and Reclamation Plan specified in this Licence does not limit the legal liability of the Licensee, other than liability arising from provisions of the *Act* and its Regulations.

INUVIALUIT WATER BOARD

Chairpers on

Data

Ocealur 17. 201

ANNEX A: SURVEILLANCE NETWORK PROGRAM

LICENSEE: Hamlet of Sachs Harbour

LICENCE NUMBER: N7L3-1531 (renewal)

EFFECTIVE DATE OF LICENCE: November 21, 2017

EFFECTIVE DATE OF

SURVEILLANCE NETWORK PROGRAM: November 21, 2017

A. Sampling Stations

Station Description of Sampling Station		
1531-1	Raw Water supply at the point of intake	
1531-2	Effluent discharge from existing Sewage Waste Disposal Facilities	
1531-3	Run-off from existing Solid Waste Disposal Facilities	

B. Sampling and Analysis Requirements

1. Water at Station Numbers 1531-2 shall be sampled once immediately after break-up and monthly during the open the water season analyzed for the following parameters:

Description of Sampling Station	Parameters	
Effluent discharge from Sewage Waste Disposal Facilities	Biological Oxygen Demand (BOD ₅), Carbonaceous Biological Oxygen Demand (CBOD ₅), Total Suspended Solids (TSS), pH,	
	Faecal Coliforms, Oil and Grease	

2. Water at Station Numbers 1531-3 shall be sampled annually when run-off is observed and analyzed for the following parameters:

Description of Sampling Station	Parameters	
Run-off from Solid	pH, Total Suspended Solids (TSS), Total Mercury (Hg), Total	
Waste Disposal	Chromium (Cr), Total Copper (Cu), Total Nickel (Ni), Total Iron	
Facilities	(Fe), Total Cadmium (Cd), Total Cobalt (Co), Total Manganese	
	(Mn), Total Lead (Pb), Total Zinc (Zn)	

- 3. Water at Station Numbers 1531-2 and 1531-3 shall be inspected monthly during the open water season for the presence of an oily sheen. If an oily sheen is detected, then a sample shall be collected and analyzed for the presence of oil and grease.
- 4. Sample collection requirements such as sampling frequency, parameters and locations may be modified by the inspector.
- 5. All sampling, preservation, and analyses shall be conducted in accordance with methods prescribed in the current edition of "Standard Methods for the Examination of Water and Wastewater" published by the American Public Health Association, the American Waterworks Association and the Water Environmental Federation or by such other methods as approved by an analyst.
- 6. All analyses shall be performed in a laboratory approved by an Analyst.

C. Flow Measurement and Recording Requirements

- 1. The Licensee shall measure and record in cubic metres (m³) or litres (L) the monthly and annual quantities of water pumped from SNP Station Number 1531-1 for municipal purposes.
- 2. The Licensee shall measure and record in cubic metres (m³) or litres (L) the monthly and annual quantities of sewage discharged into the Sewage Waste Disposal Facilities.
- 3. The monthly and annual quantities of sewage sludge removed from the Sewage Waste Disposal Facilities shall be measured and recorded in cubic metres (m³) or litres (L), and reported in the Licensee's Annual Report.

D. Reports

 The Licensee shall submit all of the data and information generated by Part B and Part C of the Surveillance Network Program in the Licensee's Annual Report to the Board not later than April 30 of the year following the calendar year being reported as specified in Part B, Item 1 of the Licence.

INUVIALUIT WATER BOARD

Chairperson

Date

Ovendur. 17

SUPPLEMENTAL INFORMATION TO BE SUBMITTED BY LICENSEE AS REQUIRED THROUGH LICENCE CONDITIONS

Licence Condition	Reports/Others	Timeline for Submission	Required Board Action/Others
Part B, Item 1	Annual Report	Not later than April 30 of each year	Acceptance
Part B, Item 4	A map or drawing indicating the location of all Surveillance Network Program sampling stations	Within three (3) months of the issuance of this Licence	Approval
Part B, Item 5	Post signs in the appropriate areas	Within three (3) months of the issuance of this Licence	To the satisfaction of the Inspector
Part D, Item 6	Formal decant of the Sewage Disposal Facilities	At least ten (10) days prior to initiating the decant	Advise the Inspector
Part D, Item 7	A Sludge Removal Plan	Within sixty (60) days prior to the removal of sludge from the Sewage Waste Disposal Facilities	Approval
Part E, Item 1	An Operation and Maintenance Plan for the Sewage Waste Disposal Facilities and for the Solid Waste Disposal Facilities	Within three (3) months of the issuance of this Licence	Approval
Part E, Item 3	A Hazardous Waste Management Plan	Within three (3) months of the issuance of this Licence	Approval
Part F, Item 1	A Spill Contingency Plan	Within three (3) months of the issuance of this Licence	Approval
Part G, Item 1a	Notification to the Board in writing of proposed Modifications	At least five (5) days prior to beginning the Modifications	Acceptance
Part G, Item 3	As modified site plans referred to in Part G, Item 1	Within ninety (90) days of completion of the Modifications	Acceptance
Part H, Item 3	As-built drawings of the dams, dykes or structures	Within ninety (90) days of completion of construction	Acceptance
Part I, Item 1	A Closure and Reclamation Plan	At least six (6) months prior to abandoning any Water Supply, Sewage or Solid Waste Disposal Facilities	Approval

GENERAL PROCEDURES FOR THE ADMINISTRATION OF LICENCES ISSUED UNDER THE WATERS ACT IN THAT PORTION OF THE INUVIALUIT SETTLEMENT REGION LOCATED WITHIN THE NORTHWEST TERRITORIES

- At the time of issuance, a copy of the Licence is placed in the Public Register at the Inuvialuit Water Board (IWB) Office in Inuvik. Copies are available here or on the IWB website.
- 2. To enforce the terms and conditions of the Licence, the Minister of Environment and Natural Resources has appointed Inspectors in accordance with Section 65(1) of the *Waters Act*. The Inspectors coordinate their activities with officials of the Water Resources Division of the Department of Environment and Natural Resources. The Inspector responsible for the Licence is located in the Department of Environment and Natural Resources Office in Inuvik.
- 3. To keep the IWB and members of the public informed of the Licensee's conformity to Licence Terms and Conditions, the Inspectors prepare inspection reports which detail observations on how each requirement of the Licence has been met. These reports are forwarded to the Licensee with a covering letter indicating what action, if any, should be taken. The inspection reports and covering letters are placed in the Public Register, as are any responses received from the Licensee pertaining to the inspection reports. Licensees must respond to all areas of concern outlined in the inspection reports.
- 4. If renewal of the Licence is contemplated it is the responsibility of the Licensee to apply to the IWB for renewal of the Licence. The past performance of the Licensee, new documentation and information, and points raised during a public hearing, if required, will be used to determine the terms and conditions of any Licence renewal. Please note that if the Licence expires and another has not been issued, then water and Waste disposal must cease, or you, the Licensee, would be in contravention of the Waters Act. Under normal circumstances an application for renewal should be made at least six (6) months in advance of the Licence expiry date.
- 5. If, for some reason, the Licence requires an amendment a public hearing may be required. You are reminded that applications for amendments should be submitted as soon as possible to provide the IWB with ample time to go through the amendment process. The process may take up to six (6) months or more depending on the scope of the amendment requested.

....2

Specific clauses of your Licence make reference to the IWB, Analyst or 6. Inspector. The contact person, address, phone and fax number of each is:

BOARD:

Executive Director

Inuvialuit Water Board

P.O. Box 2531

INUVIK, NT X0E 0T0

Phone No: (867) 678-2942 Fax No: (867) 678-2943

ANALYST:

Analyst

Taiga Environmental Laboratory **Environment and Natural Resources**

Government of the NWT

P.O. Box 1320

YELLOWKNIFE, NT X1A 2L9

Phone No: (867) 765-6644 Fax No: (867) 920-8740

INSPECTOR: Inspector

Environment and Natural Resources Government of the Northwest Territories

P.O. Box 2749

INUVIK, NT X0E 0T0

Phone No: (867) 678-6676 Fax No: (867) 678-6699