

Bijaya Adhikari

From: Mardy Semmler
Sent: December 13, 2023 2:30 PM
To: Bijaya Adhikari
Subject: FW: N5L3-0714 Hamlet of Tuktoyaktuk – MWL Renewal Application

Comments from DFO

From: OP Habitat (DFO/MPO) <DFO.OPHabitat.MPO@dfo-mpo.gc.ca>
Sent: Wednesday, December 13, 2023 1:27 PM
To: Mardy Semmler <semmlerm@inuvwb.ca>
Subject: RE: N5L3-0714 Hamlet of Tuktoyaktuk – MWL Renewal Application

Hello Mardy,

Thanks for providing us with the opportunity to review and comment on the documents.
Below is a short comment for the renewal application for N5L3-0714 Hamlet of Tuktoyaktuk - Type "B" Municipal Water Licence.

Comment:

Based on the information that was submitted, DFO recommends the proponent to apply a appropriately sized fish screen to the end of the intake pipe in accordance with DFO [Interim code of practice: End-of-pipe fish protection screens for small water intakes in freshwater \(dfo-mpo.gc.ca\)](https://www.dfo-mpo.gc.ca/pnw-ppe/measures-mesures-eng.html).

To comply with the Fisheries Act, it is recommended that the Proponent follow DFO's protective measures for fish and fish habitat and standard codes of practice which can be found on DFO's website (<https://www.dfo-mpo.gc.ca/pnw-ppe/measures-mesures-eng.html> and <https://www.dfo-mpo.gc.ca/pnw-ppe/practice-pratique-eng.html>).

Thank you,

Anna-Maija

Anna-Maija LaFlamme
FFHPP Biologist

Fish and Fish Habitat Protection Program | Programme de Protection du poisson et de son habitat
Fisheries and Oceans Canada | Pêches et Océans Canada
Arctic Region | Région de l'Arctique
301-5204 50th Ave (Franklin)
Yellowknife, NT X1A 1E2

General Contact Number: 1-855-852-8320

General E-Mail: fisheriesprotection@dfo-mpo.gc.ca or protectiondespeches@dfo-mpo.gc.ca

From: Bijaya Adhikari <adhikarib@inuvwb.ca>
Sent: Friday, November 17, 2023 10:17 AM
To: EE Nord RPN TNO / EA North PNR NWT (EC) <ec.eenordrpntrno-eanorthpnrrnwt.ec@canada.ca>; Dana Moran <Dana_Moran@gov.nt.ca>; Environmental Assessment and Monitoring <gnwt_ea@gov.nt.ca>; Peter Workman <Peter_Workman@gov.nt.ca>; Dinah Elliott <Dinah_Elliott@gov.nt.ca>; Adrian.Paradis@CanNor.gc.ca; OP Habitat (DFO/MPO) <DFO.OPHabitat.MPO@dfo-mpo.gc.ca>

Cc: Mardy Semmler <semmlerm@inuvwb.ca>; Admin IWB <admin@inuvwb.ca>

Subject: N5L3-0714 Hamlet of Tuktoyaktuk – MWL Renewal Application

You don't often get email from adhikarib@inuvwb.ca. [Learn why this is important](#)

Good morning,

The Inuvialuit Water Board (IWB) has received a renewal application for N5L3-0714 Hamlet of Tuktoyaktuk - Type "B" Municipal Water Licence. The IWB requests your review and comment on this renewal application specifically regarding conformity to legislation within your jurisdiction pertaining to water use and waste disposal.

The application package includes:

1. Schedule C – Application for Water Licence Renewal – October 18, 2023;
2. Questionnaire for Municipal Undertaking – October 18, 2023;
3. IWB Additional Information Request (AIR) – October 23, 2023;
4. Hamlet Response to IWB AIR – Summary Table – Nov 9, 2023;
5. Spill Contingency Plan – Revised;
6. Sewage Disposal Facility Operation and Maintenance Plan – Revised;
7. Solid Waste Disposal Facility Operation and Maintenance Plan – Revised;
8. Hazardous Waste Management Plan – Revised; and
9. EISC Decision Letter

The above PDF files (1 to 9) can be accessed by clicking on the following Dropbox link or by copying and pasting it into your browser:

<https://www.dropbox.com/scl/fo/11krwxgy6ztzkplloxw3z/h?rlkey=vlr6rouizck2jiteqww5ibf3tg&dl=0>

Please provide your written comments by **January 12, 2024**. If we do not receive a response by the due date, we will assume that your organization has no comments on the submitted application.

Written submissions can be sent to:

Mardy Semmler
Executive Director
Inuvialuit Water Board
151 Mackenzie Road - Mack Travel Building - 2nd Floor
P.O. Box 2531
Inuvik, NT X0E 0T0
Email: semmlerm@inuvwb.ca

Should you require further information or clarification, please contact me at 867-678-8610 or adhikarib@inuvwb.ca or Mardy Semmler, Executive Director, at semmlerm@inuvwb.ca or phone 867-678-8609.

Thank you,

Bijaya

Bijaya Adhikari, PhD
Science and Regulatory Coordinator
Inuvialuit Water Board
P.O. Box 2531, Inuvik, NT X0E 0T0
Tel: (867) 678-8610
Fax: (867) 678-2943

Email: adhikarib@inuvwb.ca

Website: www.inuvwb.ca